

Regressions & tracking them:
current state, plans, and
what do you want?

Thorsten Leemhuis

= quick, essential background =

S: maintained
F: scripts/package/PKGBUILD

KERNEL REGRESSIONS

M: Thorsten Leemhuis <linux@leemhuis.info>
L: regressions@lists.linux.dev
S: Supported
F: Documentation/admin-guide/reporting-regressions.rst
F: Documentation/process/handling-regressions.rst

KERNEL SELFTEST FRAMEWORK

M: Shuah Khan <shuah@kernel.org>

ensure Linus'
"no regressions"-rule
is adhered

tell Linus about
unresolved regressions
worth delaying a release

partly bug wrangler,
partly QA engineer

project wide effort

project wide effort,
where reporting by mail is the default

project wide effort,
where reporting by mail is the default
with no central bug tracker



thl@luggage:/srv/linux.git/mainline



```
thl@luggage:/srv/linux.git/mainline$ for i in bugzilla.kernel.org gitlab github; do echo "$(grep -  
-count "^B:.*${i}" MAINTAINERS) ${i}" ; done
```

```
23 bugzilla.kernel.org
```

```
12 gitlab
```

```
17 github
```

```
thl@luggage:/srv/linux.git/mainline$ grep "^B.*gitlab" MAINTAINERS
```

```
B:      https://gitlab.freedesktop.org/drm/amd/-/issues
```

```
B:      https://gitlab.com/apparmor/apparmor-kernel
```

```
B:      https://gitlab.freedesktop.org/panfrost/linux/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm/msm/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm/msm/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm/nouveau/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm/nova/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm/nova/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm
```

```
B:      https://gitlab.freedesktop.org/imagination/linux/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm/x/kernel/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm/amd/-/issues
```

```
thl@luggage:/srv/linux.git/mainline$
```



thl@luggage:/srv/linux.git/mainline



```
thl@luggage:/srv/linux.git/mainline$ for i in bugzilla.kernel.org gitlab github; do echo "$(grep -  
-count "^B:.*${i}" MAINTAINERS) ${i}" ; done
```

```
23 bugzilla.kernel.org
```

```
12 gitlab
```

```
17 github
```

```
thl@luggage:/srv/linux.git/mainline$ grep "^B.*gitlab" MAINTAINERS
```

```
B:      https://gitlab.freedesktop.org/drm/amd/-/issues
```

```
B:      https://gitlab.com/apparmor/apparmor-kernel
```

```
B:      https://gitlab.freedesktop.org/panfrost/linux/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm/msm/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm/msm/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm/nouveau/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm/nova/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm/nova/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm
```

```
B:      https://gitlab.freedesktop.org/imagination/linux/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm/xe/kernel/-/issues
```

```
B:      https://gitlab.freedesktop.org/drm/amd/-/issues
```

```
thl@luggage:/srv/linux.git/mainline$
```



```
thl@luggage:/srv/linux.git/mainline$ for i in bugzilla.kernel.org gitlab github; do echo "$(grep -  
-count "^B:.*${i}" MAINTAINERS) ${i}" ; done
```

```
23 bugzilla.kernel.org
```

```
12 gitlab
```

```
17 github
```

```
thl@luggage:/srv/linux.git/mainline$ grep "B.*gitlab" MAINTAINERS
```

```
B: https://gitlab.freedesktop.org/drm/amd/-/issues
```

```
B: https://gitlab.com/apparmor/apparmor-kernel
```

```
B: https://gitlab.freedesktop.org/panfrost/linux/-/issues
```

```
B: https://gitlab.freedesktop.org/drm/msm/-/issues
```

```
B: https://gitlab.freedesktop.org/drm/msm/-/issues
```

```
B: https://gitlab.freedesktop.org/drm/nouveau/-/issues
```

```
B: https://gitlab.freedesktop.org/drm/nouveau/-/issues
```

```
B: https://gitlab.freedesktop.org/drm/nova/-/issues
```

```
B: https://gitlab.freedesktop.org/drm
```

```
B: https://gitlab.freedesktop.org/imaginedragon/linux/-/issues
```

```
B: https://gitlab.freedesktop.org/drm/xe/kernel/-/issues
```

```
B: https://gitlab.freedesktop.org/drm/amd/-/issues
```

```
thl@luggage:/srv/linux.git/mainline$
```

I wrote regzbot,
a "meta" regression tracking bot

* [REGRESSION] PCI/pwrctrl: WCN7850 not enumerated on X1E80100 (Surface Pro 11) since b921aa3f8dec

@ 2026-10-03 9:06 François Roux

2026-10-03 9:14 ` [PATCH] power: sequencing: qcom-wcn: power off WLAN at probe Franz

0 siblings, 1 reply; 3+ messages in thread

From: François Roux @ 2026-10-03 9:06 UTC (permalink / raw)

To: mani, brgl, bhelgaas

Cc: krishna.chundru, linux-pci, linux-arm-msm, linux-pm, regressions,
linux-kernel

Hi,

Since b921aa3f8dec ("PCI/pwrctrl: Switch to pwrctrl create, power on/off, destroy APIs") the on-board WCN7850 Wi-Fi of the Microsoft Surface Pro 11 (X1E80100, board "denali") is no longer enumerated. v6.17 works. v7.0, v7.1 and linux-next up to next-20260929 do not.

#regzbot introduced: b921aa3f8dec

#regzbot title: PCI/pwrctrl: WCN7850 on PERST#-less qcom port not enumerated after pwrctrl rework

Hardware

The WCN7850 (pci17cb:1107 ath12k) sits behind pcie4 (1c080000

Welcome to Kernel.org Bugzilla

Please use your distribution's bug tracking tools

This bugzilla is for reporting bugs against **upstream Linux kernels**.

If you did not compile your own kernel from scratch, you are probably in the wrong place.

Please use the following links to report a bug to your distribution instead:

[Ubuntu](#) | [Fedora](#) | [Arch](#) | [Mint](#) | [Debian](#) | [Red Hat](#) | [OpenSUSE](#) | [SUSE](#)

To report an issue upstream, please consult this document before opening a new bug:

[Reporting Issues](#)

With questions about this site contact [bugzilla admins](#).

Please check the [FAQ](#) before you do so.



File a Bug



Search



User Preferences



Documentation

Enter a bug # or some search terms

Quick Search [?]

Common Queries:

[Open bugs assigned to me](#) (0)

[Open bugs reported by me](#) (0)

[Requests addressed to me](#) (0)

Welcome to Kernel.org Bugzilla

Please

This bugzilla

If you did not compile

Please use the

[Ubuntu](#) | [Fedora](#)

To report an issue up

With

[File a Bug](#) Enter a bug # or

Common Queries:

[Open bugs assigned to me \(0\)](#) [Open bugs reported by me \(0\)](#) [Requests addressed to me \(0\)](#) 

Explore

 Search or go to...

/

drm / amd

A

amd



master ▾

amd

Find file

Code ▾



Adjsut amd_s2idle.py migration script to use amd-debug-to...

Mario Limonciello authored May 12, 2025

0f486d26



History

Name

Last commit

Last update

.gitlab

Redirect amd_s2idle.py and ...

1 year ago

scripts

Adjsut amd_s2idle.py migrati...

1 year ago

.gitignore

Add a .gitignore file

2 years ago

.pre-commit-config.yaml

Add pre-commit hook

2 years ago

README.md

gitlab: issue_template: Updat...

4 years ago

Welcome to Kernel.org Bugzilla

Please
This bugzilla
If you did not compile
Please use the
[Ubuntu](#) | [Fedora](#)
To report an issue up

With



File a Bug

Common Queries:

[Open bugs assigned to me \(0\)](#) 
[Open bugs reported by me \(0\)](#) 
[Requests addressed to me \(0\)](#) 

  Explore

Search or go to... /

drm / amd

A

amd

 master  amd

 Adjsut amd_s2idle.py migration script to
Mario Limonciello authored May 12, 2025

Name	Last commit
 .gitlab	Redirect amd
 scripts	Adjsut amd
 .gitignore	Add a .gitigr
 .pre-commit-config.yaml	Add pre-cor
 README.md	gitlab: issue

  Rust-for-Linux

[Overview](#) [Repositories 17](#) [Packages](#) [People 20](#)

 **Rust for Linux**
Adding support for the Rust language to the Linux kernel.
Verified
2.1k followers <https://rust-for-linux.com>

Pinned

 **linux** Public
Forked from [torvalds/linux](#)
Adding support for the Rust language to the Linux kernel.
C 4.4k 497

 **rust-out-of-tree-module** Public
Basic template for an out-of-tree Linux kernel module written in Rust.
Rust 357 52

 **klint** Public
Lints for kernel or embedded system development.
Rust 168 18

 **pin-init** Public
Library facilitating safe pinned initialization
Rust 89 30

 **field-projection** Public
Field projection experiment
Rust 5 5

 **Repositories**

[Type -](#) [Language -](#) [Sort -](#)

[patchset/20261003091451.4/2/-1-tranze@tranze@gmail.com?part=1](#)

[^ permalink raw reply](#) [\[flat|nested\]](#) 3+ messages in thread

end of thread, other threads: [\[~2026-10-03 9:20 UTC | newest\]](#)

Thread overview: 3+ messages (download: [mbox.gz](#) follow: [Atom feed](#))

-- links below jump to the message on this page --

2026-10-03 9:06 [\[REGRESSION\]](#) PCI/pwrctrl: WCN7850 not enumerated on X1E80100 (Surface Pro 11) since b921aa3f8dec [Fran ois Roux](#)

2026-10-03 9:14 ` [\[PATCH\]](#) power: sequencing: qcom-wcn: power off WLAN at probe [Franz](#)

2026-10-03 9:20 ` [sashiko-bot](#)

This is an external index of several public inboxes,
see [mirroring instructions](#) on how to clone and mirror

once we get the address, we can properly mask it off before handing it over to userspace.

This also allows us to fix a regression on AMD15h family for hugetlb mappings [1].

[1] <https://lore.kernel.org/linux-mm/20260527143643.6031091@soohrt.org/>

Fixes: 7bd3f1e1a9ae ("mm: make hugetlb mappings go through mm_get_unmapped_area_vmflags")

Reported-by: Karsten Desler <kdesler@soohrt.org>

Closes: <https://lore.kernel.org/linux-mm/20260527143643.6031091@soohrt.org/>

Signed-off-by: Oscar Salvador <osalvador@suse.de>

Acked-by: Dave Hansen <dave.hansen@linux.intel.com>

fs/hugetlbfs/inode.c | 25 ++++++

include/linux/hugetlb.h | 2 +-
2 files changed, 25 insertions(+), 2 deletions(-)

diff --git a/fs/hugetlbfs/inode.c b/fs/hugetlbfs/inode.c



index : kernel/git/next/linux-next.git

The linux-next integration testing tree

[about](#) [summary](#) [refs](#) [log](#) [tree](#) **[commit](#)** [diff](#) [stats](#)

[log msg](#)

NFSD: Return NFSERR_ISDIR for NFSv2 READ and WRITE on a non-regular file

Commit 0ac903d1bfdc ("NFS: NFSERR_INVAL is not defined by NFSv2") changed the status NFSD returns for an NFSv2 READ or WRITE of a symlink or other non-regular file from NFSERR_INVAL to NFSERR_IO. RFC 1094 defines neither an INVAL nor a SYMLINK status.

U-Boot's NFS client follows a symlink only when READ fails with NFSERR_ISDIR or NFSERR_INVAL. Since that commit it cannot load a boot image through a symlink exported by a Linux NFS server: the load completes with zero bytes transferred.

Solaris returns NFSERR_ISDIR when the target of an NFSv2 READ or WRITE is not a regular file. Return the same status from NFSD. Other NFSv2 procedures continue to return NFSERR_IO.

Fixes: 0ac903d1bfdc ("NFS: NFSERR_INVAL is not defined by NFSv2")

Cc: stable@vger.kernel.org

Reported-by: Jörg Sommer <joerg@jo-so.de>

Closes: https://lore.kernel.org/linux-nfs/apE90ZRZB8IW_AiS@jo-so.de/

Reviewed-by: NeilBrown <neil@brown.name>

Reviewed-by: Jeff Layton <jlayton@kernel.org>

Linux kernel regression status

[\[next\]](#) [\[mainline\]](#) [\[stable/longterm\]](#) • [\[new\]](#) • [\[all\]](#) • [\[resolved\]](#) [\[inconclusive\]](#)

current cycle (v7.2.. aka v7.3-rc), culprit identified

- [97d34aa65c29](#)
(v7.3-rc2)
 - ▶ **secretmem: SIGBUS on memfd_secret() pages while perf record runs** by [Ameer Hamza](#)
Earliest & latest [activity](#): [36 hours ago](#) & [7 hours ago](#).
- [a637a140ab86](#)
(v7.3-rc1)
 - ▶ **Single-frame scanout corruption on DCN32 at 120 Hz, 90x more frequent since a637a140ab86** by [Mikhail Gavrilov](#) and [Mikhail Gavrilov](#)
Earliest & latest [activity](#): [5 weeks ago](#) & [34 hours ago](#).
- [9e4a3ec3411b](#)
(v7.3-rc4)
 - ▶ **x86: mm: protection fault when using a boot-time function tracer and a filter** by [Mikhail Gavrilov](#)
Earliest & latest [activity](#): [10 days ago](#) & [47 hours ago](#). Noteworthy: [\[fix incoming\]](#).
- [143755bdabaa](#)
(v7.3-rc4)
 - ▶ **dma-buf: drm/msm hardware video decode broken** by [Jianfeng Liu](#)
Earliest & latest [activity](#): [11 days ago](#) & [5 days ago](#). Noteworthy: [\[1\]](#), [\[fix incoming\]](#).
- [022eb347ff3a](#)
(v7.3-rc1)
 - ▶ **HID: logitech: hi-res scroll broken after suspend and resume** by [Roman Stingler](#)
Earliest & latest [activity](#): [14 days ago](#) & [8 days ago](#). Noteworthy: [\[1\]](#), [\[2\]](#), [\[3\]](#), [\[4\]](#), [\[patch \(SOB\)\]](#).
- [d5d8b8662e6e](#)
(v7.3-rc4)
 - ▶ **[PATCH] x86/mm: avoid a reclaiming allocation in pud_free_pmd_page()** by [Mikhail Gavrilov](#)
Earliest & latest [activity](#): [18 days ago](#) & [10 days ago](#). Noteworthy: [\[fix incoming\]](#).

current cycle (v7.2.. aka v7.3-rc), unknown culprit

- v7.2..v7.3-rc1
 - ▶ **drm: amdgpu: HP OmniBook X Flip OLED stays black until VESA AUX luminance control is enabled** by [David McKechnie](#)
Earliest & latest [activity](#): [5 weeks ago](#) & [43 hours ago](#).

previous cycle (v7.1..v7.2), culprit identified, with activity in the past three months

- [7e5760f084d0](#)
(v7.2-rc1)
 - ▶ **drm: amdgpu: various problems wrt to outputs, apparently already fixed in 7.3** by [Michał Górny](#), [Prslc](#), and [Bjørnar Hansen](#)
Earliest & latest [activity](#): [4 weeks ago](#) & [15 hours ago](#). Noteworthy: [\[1\]](#), [\[patch \(SOB\)\]](#).
- [bee25f97ad24](#)
 - ▶ **powerpc: Power9 nseries boot hang** by [Venkat Rao Bagalkote](#)

= brief status =

regzbot and my
regression tracking & tackling efforts
came close to an end late 2025

KernelCI jumped in to help

challenging kernel landscape
became even harder to tackle

AI & LLMs happened – and
heavily stirred and stir things up

it might be time to rethink and
revamp my regression
tracking and tackling efforts

my efforts definitely help

my efforts definitely help
– still huge potential to
make Linux a lot better

= state of things early 2026 =

the light inside
is broken but
i still work

SEL

1 2
4 5
7 7
0



Regzbot Joins KernelCI: Strengthening Linux Kernel Regression Tracking

By mwaqar

May 4, 2026

Blog

We're excited to announce that [regzbot](#), the Linux kernel regression tracking bot created by Thorsten Leemhuis, is joining the KernelCI project. This collaboration marks an important step forward in our shared mission to improve the quality, stability, and long-term maintenance of the Linux kernel.

About Regzbot

Regzbot is a regression tracking utility ([dashboard](#), [docs](#)) that has become essential for the Linux kernel community. The bot allows developers and users to add regressions reports to the tracking using simple commands, such as `#regzbot introduced: v6.1 v6.2-rc1`. Regzbot notices these commands on various mailing lists as well as in [bugzilla.kernel.org](#) and a

Many thx, KernelCI!

Many thx, KernelCI!
And to Meta and the EU¹
for earlier funding, too!

¹ through NGI pointer

= state of things now =

- regzbot -

regzbot's still in
maintenance mode

regzbot's core idea
still solid and working well

✦ AI Overview

The boot failure you are experiencing on your **OpenPandora (OMAP3)** device is a **known Linux kernel regression introduced in the v7.2-rc1 development cycle**. 🔗

Cause of the Regression

The issue was tracked down via git bisect to the following commit:

- **Commit:** `b8eeeca5545659`
- **Subject:** `clocksource/drivers/timer-ti-dm: Add clocksource support` 🔗

This commit modifies the TI Dual-Mode Timer (`timer-ti-dm`) initialization behavior. On the OpenPandora's OMAP3 platform, this change causes the system timer or clocksource selection to break during early boot, resulting in a complete hang before the kernel can initialize user space. 🔗

How to Fix It

If you need a working system immediately, you have two primary options:

1. Revert the Bad Commit:

If you are building your own kernel from source, you can temporarily restore normal



Thorsten Leemhuis



Linux kernel regression status - Thorsten Leemhuis

clocksource/drivers/timer-ti-dm: OpenPandora (OMAP3) fails to boot by H. Nikolaus Schaller....



lkml.org



"H. Nikolaus Schaller": [REGRESSION] OpenPandora ... - LKML

28 Aug 2026 — Hi, I am seeing a boot regression on OpenPandora (OMAP3) since v7.2-rc1. A git...



lkml.org



Andreas Kemnade: Re: [REGRESSION] OpenPandora ... - LKML

28 Aug 2026 — Re: [REGRESSION] OpenPandora (OMAP3) fails to boot since v7. ... >...

Show all

🌟 AI Overview

The boot failure you are experiencing on your **OpenPandora (OMAP3)** device is a **known Linux kernel regression introduced in the v7.2-rc1 development cycle.**

Cause of the Regression

The issue was tracked down via git bisect to the following commit:

- **Commit:** `b8eeeca5545659`
- **Subject:** `clocksource/drivers/timer-ti-dm: Add clocksource support`

This commit modifies the TI Dual-Mode Timer (`timer-ti-dm`) initialization behavior. On the OpenPandora's OMAP3 platform, this change causes the system timer or clocksource selection to break during early boot, resulting in a complete hang before the kernel can initialize user space.

How to Fix It

If you need a working system immediately, you have two primary options:

1. Revert the Bad Commit:

If you are building your own kernel from source, you can temporarily restore normal



Thorsten Leemhuis



[Linux kernel regression status - Thorsten Leemhuis](#)

clocksource/drivers/timer-ti-dm: OpenPandora (OMAP3) fails to boot by H. Nikolaus Schaller...



lkml.org



"H. Nikolaus Schaller": [REGRESSION] OpenPandora ... - LKML

28 Aug 2026 — Hi, I am seeing a boot regression on OpenPandora (OMAP3) since v7.2-rc1. A git...



lkml.org



Andreas Kemnade: Re: [REGRESSION] OpenPandora ... - LKML

28 Aug 2026 — Re: [REGRESSION] OpenPandora (OMAP3) fails to boot since v7. ... >...

Show all

regzbot never got far,
thus still has huge warts
and deficits

not really autonomous

not really autonomous
and not working well for
subsystem maintainers or CIs

can or should an AI agent
make regzbot obsolete

can or should an AI agent
make regzbot obsolete
– today or tomorrow

can or should an AI agent
make regzbot obsolete
– today or tomorrow,
partially or completely?

- my tracking and tackling efforts -

kernel developers love it

kernel developers love it
and hate it at the same time

my work sometimes makes
a whole lot of a difference



my work sometimes makes
a whole lot of a difference

most regressions remain
unresolved way longer
than Linus wants



The Linux Kernel

7.3.0-rc5

Quick search

Contents

Working with the development community

Development process

Submitting patches

Code of conduct

Quotes from Linus about regression

The following statements from Linus Torvalds provide some insight into Linux "no regressions" rule and how he expects regressions to be handled:

On how quickly regressions should be fixed

- From [2026-01-22](#):

But `a user complaining should basically result in an immediate fix - possibly a "revert and rethink".`

With a later clarification on [2026-01-28](#):

It's also worth noting that "immediate" obviously doesn't mean "right this *second*" when the problem has been reported".

But if it's a regression with a known commit that caused it, I think the `rule of thumb` should generally be "within a week", preferably `before the next rc`.

- From [2023-04-21](#):

`Known-broken commits` either

* [MAINTAINERS SUMMIT] Satisfied with the time it takes regressions to be fixed?

@ 2026-07-22 15:27 Thorsten Leemhuis

0 siblings, 0 replies; only message in thread

From: Thorsten Leemhuis @ 2026-07-22 15:27 UTC ([permalink](#) / [raw](#))

To: [ksummit](#)

Linus' rule of thumb with regards to fixing regressions that have a known culprit and were reported by a user afaics is: "within a week, preferably before the next rc". He wrote that in January, for the exact words and links to the full mails on lore from January see:

<https://www.kernel.org/doc/html/latest/process/handling-regressions.html#on-how-quickly-regressions-should-be-fixed>

I got the impression that most regressions I track take much longer to get fixed. Which turned out to be the case when looked closer at a recent development cycle, as more that half took more then two weeks to get fixed; the analysis furthermore showed that fixes had usually been available quickly, it just took them some time to get reviewed, committed, and sent to Linus -- among others due to lack of maintainer resources. More details on that below, let me first propose what we might want to discuss the following here and later at the summit:

this affects stable series, too!

recently started sending reverts
and fixes directly to Linus



index : kernel/git/torvalds/linux.git

Linux kernel source tree

[about](#) [summary](#) [refs](#) [log](#) [tree](#) [commit](#) [diff](#) [stats](#)

author [Daniel J Blumman](#) <daniel@quora.org> 2026-09-20 16:16:08 +0200
committer Linus Torvalds <torvalds@linux-foundation.org> 2026-09-20 11:21:10 -0700
commit [6a5719cc3ef2e4d9857cc4ae18e6db09d59a8cc9](#) (patch)

net: qrtr: resend HELLO on MHI resume

Since the MHI HELLO exchange was relocated, it is sent only at device registration. During a suspend-resume cycle, the firmware in WiFi cards such as WCN7850 indefinitely waits for another HELLO, triggering:

```
ath12k_wifi7_pci 0004:01:00.0: timeout while waiting for restart complete  
ath12k_wifi7_pci 0004:01:00.0: failed to resume core: -110
```

Fix this by triggering the handshake from resume_early in the MHI transport.

Validated on Qualcomm X1E-801800 on Lenovo Slim 7x across 10 suspend-resume cycles.

Fixes: [544d85de4dc2](#) ("net: qrtr: Send HELLO message on endpoint register")
Signed-off-by: Daniel J Blumman <daniel@quora.org>
Reviewed-by: Manivannan Sadhasivam <manivannan.sadhasivam@oss.qualcomm.com>
Reported-by: Jeff Johnson <jeff.johnson@oss.qualcomm.com>
Link: <https://lore.kernel.org/all/6257c447-788d-4362-851e-0d552bcf7c56@oss.qualcomm.com/>
Tested-by: Jeff Johnson <jeff.johnson@oss.qualcomm.com>
Reported-by: Vlastimil Babka (SUSE) <vbabka@suse.com>
Link: <https://lore.kernel.org/all/ab1491bb-cca5-4145-ac7d-31c966abf7b4@suse.com/>
Tested-by: Vlastimil Babka (SUSE) <vbabka@kernel.org>
Reported-by: Takashi Iwai <tiwai@suse.de>
Link: <https://lore.kernel.org/all/87a4plsg4w.wl-tiwai@suse.de/>
Tested-by: Takashi Iwai <tiwai@suse.de>
Signed-off-by: [Thorsten Leemhuis](#) <linux@leemhuis.info>
Signed-off-by: [Linus Torvalds](#) <torvalds@linux-foundation.org>

Diffstat



index : kernel/git/torvalds/linux.git

Linux kernel source tree

[about](#) [summary](#) [refs](#) [log](#) [tree](#) **[commit](#)** [diff](#) [stats](#)

author Linus Torvalds <torvalds@linux-foundation.org> 2026-09-13 10:18:23 -0700
committer Linus Torvalds <torvalds@linux-foundation.org> 2026-09-13 10:18:23 -0700
commit [d681d7ef617ef83d6a4de36e5cb4418ef602e122](#) (patch)

Merge misc regression fixes that seem to have fallen through the cracks

Thorsten continues to track regressions, and reporting on known issues with fixes that don't seem to make any progress.

I'm going to do an rc3 release later today - let's not keep these known issues pending for yet another rc for no obvious reason.

Reported-by: Thorsten Leemhuis <regressions@leemhuis.info>

Link: <https://lore.kernel.org/all/46403cf8-9a81-4596-87eb-dde58ae4c5db@leemhuis.info/>

* regressions:

media: ipu-bridge: do not use the CVS device lookup for IVSC

wifi: mt76: mt792x: fix NULL dereference in ACPI SAR init during probe

wifi: mt76: mt7921: skip unknown CLC firmware records

Diffstat

maintain a tree with fixes
and reverts for regressions?

my efforts are a whole lot of
extremely time consuming and
often frustrating manual work

- is Thorsten doing a good job? -

in retrospect, Thorsten
definitely should have done
some things differently

too unfocused,
tackling too many things

- is the problem space just too big? -

- is the problem space just too big? -

[for one person with no or limited funding for ~10 or 20 h/week]

look out for track-worthy reports in various places and add them to the tracking:
Dozent mailing lists, bugzilla.kernel.org, [github.org/{thesofproject,Rust-for-Linux,...}](https://github.com/{thesofproject,Rust-for-Linux,...}),
and gitlab.freedesktop.org/drm/{amd,i915,nouveau,xe,...},

help users improving their reports: ask them to provide needed logs, test mainline, bisect, ...
– and connect them with the appropriate developers

prod users, developers, and maintainers when things stall
– ideally without increasing work stress for developers and maintainers

handle things regzbot can't detect: misclassifications, duplicates, missing Link:/Closes: tags
be man-in-the-middle for bugzilla.kernel.org; fix the bugzilla messy situation

write status reports for Linus, submit reverts or quirks, prevent regressions from hitting stable

build a community around regressions; get distros involved; improve docs on reporting and
handling bugs/regressions; try to improve process issues; give talks about my work

enhance regzbot; investigate how AI/LLM could facilitate work

and a few other things that came up – all that with limited or no funding at all for long periods

look out for track-worthy reports in various places

look out for track-worthy reports in various places and add them to the tracking

look out for track-worthy reports in various places and add them to the tracking

help users improving their reports

look out for track-worthy reports in various places and add them to the tracking

help users improving their reports

prod users, developers, and maintainers when things stall

look out for track-worthy reports in various places and add them to the tracking

help users improving their reports

prod users, developers, and maintainers when things stall

handle things regzbot can't detect

look out for track-worthy reports in various places and add them to the tracking

help users improving their reports

prod users, developers, and maintainers when things stall

handle things regzbot can't detect

be man-in-the-middle for bugzilla.kernel.org;

look out for track-worthy reports in various places and add them to the tracking

help users improving their reports

prod users, developers, and maintainers when things stall

handle things regzbot can't detect

be man-in-the-middle for bugzilla.kernel.org;

enhance regzbot

look out for track-worthy reports in various places and add them to the tracking:
Dozent mailing lists, bugzilla.kernel.org, [github.org/{thesofproject,Rust-for-Linux,...}](https://github.com/{thesofproject,Rust-for-Linux,...}),
and gitlab.freedesktop.org/drm/{amd,i915,nouveau,xe,...},

help users improving their reports: ask them to provide needed logs, test mainline, bisect, ...
– and connect them with the appropriate developers

prod users, developers, and maintainers when things stall
– ideally without increasing work stress for developers and maintainers

handle things regzbot can't detect: misclassifications, duplicates, missing Link:/Closes: tags
be man-in-the-middle for bugzilla.kernel.org; fix the bugzilla messy situation

write status reports for Linus, submit reverts or quirks, prevent regressions from hitting stable

build a community around regressions; get distros involved; improve docs on reporting and
handling bugs/regressions; try to improve process issues; give talks about my work

enhance regzbot; investigate how AI/LLM could facilitate work

and a few other things that came up – all that with limited or no funding at all for long periods

even simple local LLMs
could help a ton

it is a lot fighting peculiarities
of Linux kernel development

regzbot heavily relies on
Link:/Closes: tags to the report

regzbot heavily relies on
Link:/Closes: tags to the report –
but some subsystem rarely set
or deliberately even remove them!



News from the source

Content

Weekly Edition

Archives

Search

Kernel

Security

Events calendar

Unread comments

LWN FAQ

But fine, if we want to do this can we please just dumb it down to

Assisted-by: LLM

Jeff Layton later followed this up with [a separate patch](#) removing the attribution requirement entirely. Some developers were clearly in favor of that; [networking maintainer Jakub Kicinski let it be known that he simply removes those tags](#) from patches he applies, essentially undermining the previous decision made by the TAB and the community. Others have not taken that step, but expressed little love for the tag.

There are developers, though, who would like to see its use continue. Greg Kroah-Hartman [described](#) it as a signal that an LLM was involved in the creation of a patch and that the result should

<https://lwn.net/Articles/1083275/>

everybody is meaning well

everybody is meaning well
and trying their best given the
available resources

thx to everyone for your efforts!

quite a few regressions are
handled okayish or well

getting closer to what Linus wants
would make Linux a lot more reliable

getting closer to what Linus wants
would make Linux a lot more reliable
especially stable/longterm kernels

- what does Thorsten plan to do? -

heavily scale down
tracking & tackling efforts

hope that me sending fixes
straight to Linus
is a wake-up call to some

investigate how local LLM
can fascilitate my efforts

try one of the better AI offerings
to improve regzbot and/or
create an AI agent to replace it

= to summarize =

challenging kernel landscape
became even harder to tackle

it is time to scale down,
rethink, and revamp
regression tracking & tackling

focus on subsystem use-case

focus on subsystem use-case,
make regbzot more autonomous

focus on subsystem use-case,
make regbzot more autonomous,
and see how local LLMs or
an AI agent can facilitate efforts

focus on subsystem use-case,
make regbzot more autonomous,
and see how local LLMs or
an AI agent can facilitate efforts
– or even replace regzbot

focus on subsystem use-case,
make regbzot more autonomous,
and see how local LLMs or
an AI agent can facilitate efforts
– or even replace regzbot?

maybe too big of a problem

maybe too big of a problem
for the resources the ecosystem
currently willing to invest

my efforts definitely help

my efforts definitely help
and brought them a little closer
to what Linus wants

= discussion =

so what do you want to discuss?

some things we might want to talk about

- why is it that much human effort?
- still interest in regression tracking & tackling at all?
- what do you folks care about most aka what should not be scraped while revamping?
- how to get closer to what Linus wants?
- how mainline regressions affect stable kernels
- should I start a trees with reverts and proposed regression fixes ?
- further invest in regzbot or create an AI agent?
- would you be willing to help somewhere?
- *<insert what's on your mind here>*

Thorsten Leemhuis

mail: linux@leemhuis.info

GPG Key: 0x72B6E6EF4C583D2D

#fediverse: [@kernellogger@fosstodon.org](https://fosstodon.org/@kernellogger) (en),
[@knurd42@social.linux.pizza](https://social.linux.pizza/@knurd42) (en)

#EOF
